



GANESH
PRECISION INDUSTRIES
ESTD - 1981



HIGH QUALITY TURNED COMPONENTS MANUFACTURER & SUPPLIER IN INDIA



Ganesh Precision Industries – An ISO 9001:2015 Certified Company in Mumbai, India established in the year 1981, is the leading manufacturer, supplier and exporter of **Precision Turned Components, CNC Turned Components, Automat Turned Components, CNC Auto Parts, Agricultural Instrument Parts, Farm Equipment Parts and Pressure Gauge Parts**, all made out of brass, M.S., S.S., Aluminum, and Copper.

We specialize in manufacturing turned components as per client's specific design and requirement at very cost-effective prices.

Our products are highly appreciated for its superior quality, durability and are available in various dimensions as per the specifications of our clients. They are available in customized forms based on client request. We supply our product to our clients without any defects. Our products are widely used in numerous applications in automotive industries.



GANESH
PRECISION INDUSTRIES



MFNG. & EXPORTER:

PRECISION TURN PARTS OUT OF BRASS M.S., S.S ALUMINIUM & COPPER

B-118, Rajratna Industrial Estate, B. J. Patel Road,
Near American Spring Co., Malad (W), Mumbai - 400 064 (India)

Email : ganeshprecision@gmail.com / prakash@ganeshprecision.com / www.ganeshprecision.com

INDEX

FASTENERS.....PAGE 1-2
AUTOMOTIVE FASTENERS.....PAGE 3
AUTOMOTIVE COMPONENTS.....PAGE 4-6
SUSPENSION COMPONENTS.....PAGE 7-8
SHEET METAL COMPONENTS.....PAGE 9-11
CNC TURNED PARTS.....PAGE 12-14
PRECISION PARTS.....PAGE 15-18
U-BOLT.....PAGE 19-20
CENTER BOLT.....PAGE 21



HEX BOLT

THREAD : M4 - M60
LENGTH : 5MM - 300MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



FLANGE BOLT

THREAD : M4 - M60
LENGTH : 5MM - 300MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



HEX NUT

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



FLANGE NUT

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



SELF LOCKING NUT

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8,
LOCK : PLASTIC, NYLON, STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



PLAIN WASHER

OUTER DIA : 4MM - 100MM
LENGTH : CUSTOMISED
MATERIAL : MS, SS, EN8
FINISH : ZINC, BLACKODISED, PHOSPHATE



HEX HEAD HALF THREAD BOLT

THREAD : M4 - M60
LENGTH : 5MM - 300MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



CARRIAGE BOLT

THREAD : M4 - M60
LENGTH : 5MM - 300MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



SOCKET HEAD BOLT

THREAD : M4 - M60
LENGTH : 5MM - 300MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



STUD BOLT

THREAD : M4 - M60
LENGTH : 5MM - 500MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



U - BOLT

THREAD : M4 - M60
LENGTH : 5MM - 500MM
GRADE : 4.6, 5.6, 8.8,
FINISH : ZINC, BLACKODISED, PHOSPHATE, PAINT



THREADED ROD

THREAD : M4 - M30
LENGTH : 50MM - 2500MM
GRADE : 4.6, 5.6,
FINISH : ZINC, BLACKODISED, PHOSPHATE



GRUB SCREW

THREAD : M5 - M24
LENGTH : 10MM - 100MM
GRADE : 4.6, 5.6, 8.8, 10.9, 12.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



CHECK NUT

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
LOCK : PLASTIC, NYLON, STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



CASTLE NUT

THREAD : M8 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



DOM NUT

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



CHECK NUT

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



THREADED BUSH

THREAD : M4 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, 10.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



LOCK PINION NUT

THREAD : M24 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



COLLAR PINION NUT

THREAD : M24 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE, GALVANIZE




LOCK NUT

THREAD : M10 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE, GALVANIZE



TAPPER NUT

THREAD : M10 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



STAR PINION NUT

THREAD : M24 - M80
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



COLLAR CHECK NUT

THREAD : M24 - M82
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



CHECK NUT

THREAD : M20 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



SLEEVE WHEEL NUT

THREAD : M20 - M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



REVOLVING WHEEL NUT

THREAD : M20 - M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



HUB BOLT

THREAD : M10 - M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



WHEEL STUD

THREAD : M12 - M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



WHEEL BOLT

THREAD : M8 - M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



WHEEL BOLT SET

THREAD : M18 - M24
LENGTH : UP TO 120MM
GRADE : 8.8, 10.9
FINISH : ZINC, BLACKODISED, PHOSPHATE, DECROMATE



SHACKLE BOLT

THREAD : M14 - M24
LENGTH : UP TO 120MM
GRADE : 8.8, 10.9
FINISH : ZINC, BLACKODISED, PHOSPHATE



HANGER BOLT

THREAD : M18 - M60
LENGTH : UP TO 150MM
GRADE : 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



EQUALIZER BOLT KIT

THREAD : 1", 9/16"
GRADE : 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



SPRING BOLT ASSEMBLY

THREAD : M14 - M24
LENGTH : CUSTOMISED
GRADE : 8.8, BRASS
FINISH : ZINC, BLACKODISED, PHOSPHATE



COUPLER NUT WITH BOLT

THREAD : M10 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



SPRING PIN

OD: 1-1/4" X LENGTH: 6-1/2" X CENTER TO CENTER: 5-1/8"
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



SPRING PIN

THREAD: 1-3/8"-6, LENGTH: 6-9/16", C TO C: 5"
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



SPRING PIN

THREAD: 1-3/8"-6, LENGTH: 6-9/16", C TO C: 5"
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



SPRING PIN

THREAD: 1-3/8"-6, LENGTH: 5.5", C TO C: 5"
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



SPRING BOLT

OD: 7/8", LENGTH: 5-1/4", THREAD: 3/4"-16
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



SPRING PIN

OD: 1-1/2" X LENGTH: 6-1/2" X CENTER TO CENTER: 5-1/8"
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



SQUARE HEAD BOLT

THREAD : M10 - M60
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



PIVOT BOLT KIT

THREAD : M10 - M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE, DECROMATE



EQUALIZER SHAFT

THREAD: 1"-14, LENGTH: 11-3/8"
GRADE : 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE



LOCK NUT

THREAD: 3-5/16"-12, OD: 4", THICK: 1"
GRADE : 4.6, 5.6, 8.8
FINISH : ZINC, BLACKODISED, PHOSPHATE, MACHINED FINISH



SPACER

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



COLLAR SPACER

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



SIDE PLATE FOR SHACKLE

1"-10" CENTER to CENTER
1/4"-1/2" THICK
MATERIAL : MS
FINISH : ZINC, BLACKODISED, PHOSPHATE, POWDER COAT



SIDE PLATE FOR SHACKLE

1"-10" CENTER to CENTER
1/4"-1/2" THICK
MATERIAL : MS
FINISH : ZINC, BLACKODISED, PHOSPHATE, POWDER COAT



SHACKLE PLATE

1"-10" CENTER to CENTER
1/4"-1/2" THICK
MATERIAL : MS
FINISH : ZINC, BLACKODISED, PHOSPHATE, POWDER COAT



U-BOLT PLATE

UP TO 5" CENTER to CENTER
CENTER HOLE FOR CENTER BOLT
1/4"-1/2" THICK
MATERIAL : MS
FINISH : ZINC, BLACKODISED, PHOSPHATE, POWDER COAT



SHOCK MOUNT

AS PER REQUIRMENT



CUSTOMISED PLATES

AS PER REQUIRMENT



TAB LOCK

HOLE CENTER TO CENTER : 1"
THICKNESS : 2MM



SHIM

AS PER REQUIREMENT



SHIM

AS PER REQUIREMENT



ADJUSTER TAB

AS PER REQUIREMENT



LOCK NUT TAB

NUT THREAD : M14-M20
SHEET THICKNESS : 1MM-5MM
NUT GRADE : 5.6, 8.8
SHEET MATERIAL : MS
FINISH : ZINC, PHOSPHATE, DECRMATE



LOCK WASHER

ID: 2-21/64", OD: 4-7/8", THICK: 1/4"
MATERIAL : MS
FINISH : ZINC, PHOSPHATE, SHORT BLAST



SHACKLE KIT

SHEET THICKNESS : 1MM-5MM
NUT BOLT GRADE : 5.6, 8.8
SHEET MATERIAL : MS
MODEL : CUSTOMISED
FINISH : ZINC, PHOSPHATE, DECROMATE, POWDER COAT



ENGINE MOUNT

RUBER : NR 60
BASE COVER SHEET THICKNESS : 2MM
NUT BOLT GRADE : 5.6, 8.8
SHEET MATERIAL : MS
FINISH : ZINC, PHOSPHATE, DECROMATE



SHACKLE

SHEET THICKNESS : 5MM
WITH RUBBER MOUNT BUSHING
MODEL : CUSTOMISED
SHEET MATERIAL : MS
FINISH : ZINC, PHOSPHATE, DECROMATE, POWDER COAT



SS SHACKLE KIT

SHEET THICKNESS : 5MM
NUT BOLT GRADE : 5.6, 8.8, SS
SHEET MATERIAL : SS, MS
MODEL : CUSTOMISED, SPECIALLY FOR FORD CARS
FINISH : ZINC, PHOSPHATE, DECROMATE, POWDER COAT



RUBBER MOUNT BUSHING

RUBER : NR 60
STEEL BUSH GRADE : 5.6, 8.8
FINISH : MACHINED



WISHBONE END

SHEET THICKNESS : 2MM - 10MM
SHEET MATERIAL : MS
FINISH : ZINC, PHOSPHATE, DECROMATE, POWDER COAT



SPRING PIN

OD: CUSTOMISED AS PER MODEL
LENGTH : CUSTOMISED
GRADE : 8.8, 10.9
FINISH : MACHINED, PHOSPHATE



BEARING BUSH

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



ROLLER BUSH

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



EXTENSION NOZZEL

THREAD : M14-M20
LENGTH : CUSTOMISED
GRADE : BRASS
FINISH : MACHINED



TAPPER HEAD NOZZEL

THREAD : M14-M20
LENGTH : CUSTOMISED
GRADE : BRASS, MS, SS, ALUMINIUM
FINISH : ZINC, PHOSPHATE, DECROMATE



CONICAL WASHER

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



SLEEVE

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



HOUSING BUSH

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



AXLE

THREAD : M14-M20
LENGTH : CUSTOMISED AS PER MODEL
GRADE : 8.8, 10.9
FINISH : ZINC, PHOSPHATE, DECRMATE



BELT BUSH

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



NOZZLE

THREAD : M14-M20
LENGTH : CUSTOMISED
GRADE : BRASS
FINISH : MACHINED



SPHERICAL HEAD BOLT

THREAD : M14-M20
LENGTH : CUSTOMISED
GRADE : BRASS, MS, SS, ALUMINIUM
FINISH : ZINC, PHOSPHATE, DECRMATE



SPECIAL PURPOSE PIN

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



TAPPERED BUSH

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, ALUMINIUM, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



SHAFT

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED(FOR SPECIAL PURPOSE MACHINES)
GRADE : 4.6, 5.6, 8.8, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE



SPHERICAL HEAD PIN

OUTER DIA : M10 - M100
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE, MACHINED



PIPE FLANGE

OUTER DIA : M50 - M300
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE, MACHINED



ADAPTER

THREAD: M10-M24
LENGTH : CUSTOMISED
GRADE : 4.6, 5.6, 8.8, COPPER, STAINLESS STEEL
FINISH : ZINC, BLACKODISED, PHOSPHATE, MACHINED









ROUND BEND U-BOLT



LENGTH	THREAD	WIDTH	THREAD LENGTH	GRADE
16 IN.	7/8_14	4 IN.	6 IN.	8
10 IN.	7/8_14	5 IN.	3 IN.	8
14 IN.	7/8_14	3.5 IN.	6 IN.	5
22 IN.	7/8_14	3.13 IN.	6 IN.	8
12.5 IN.	1 IN._14	6.31 IN.	3.50 IN.	8
12 IN.	7/8_14	3 IN.	3 IN.	8
22 IN.	7/8_14	6 IN.	6 IN.	8

SEMI ROUND BEND U-BOLT KITS



LENGTH	THREAD	WIDTH	THREAD LENGTH	GRADE
18 IN.	1.25_12	4 IN.	3.50 IN	8
15 IN.	1-1/4_12	3.50 IN.	6 IN.	8
16-1/4 IN.	3/4_16	4 IN.	3.50 IN.	8
10 IN.	3/4_16	4 IN.	3 IN.	8
18 IN.	3/4_16	3 IN.	6 IN.	8
15 IN.	3/4_16	3.50 IN.	6 IN.	8
12 IN.	7/8_14	4 IN.	3 IN.	8

SQUARE BEND U-BOLT KITS



LENGTH	THREAD	WIDTH	THREAD LENGTH	GRADE
15.38 IN.	7/8_14	5.19 IN.	6 IN.	8
5 IN.	3/4_16	4.13 IN.	3 IN.	8
5 IN.	3/4_16	3.50 IN.	6 IN.	5
15.50 IN.	1-1/8_12	5-1/8 IN.	6 IN.	8
10 IN.	3/4_16	6.31 IN.	3.50 IN.	8
18 IN.	7/8_14	4 IN.	3 IN.	8
20 IN.	0.63-18	3 IN.	6 IN.	8
16 IN.	7/8_14	4 IN.	3 IN.	8
18 IN.	7/8_14	5 IN.	6 IN.	5
12 IN.	3/4_16	4 IN.	3.50 IN.	8
8.38 IN.	7/8_14	4 IN.	3 IN.	8
7.88 IN.	3/4_16	5 IN.	6 IN.	8

FLAT ROUND BEND U-BOLT KITS



LENGTH	THREAD	WIDTH	THREAD LENGTH	GRADE
15.50 IN.	1 IN._14	3.56 IN.	5 IN	8
12.75 IN.	1 IN._14	5 IN.	4 IN.	8
16.25 IN.	1.13 IN._12	5 IN.	4 IN.	8
10.50 IN.	1 IN._14	6.31 IN.	3.50 IN.	8
11.50 IN.	1 IN._14	5 IN.	2.25 IN.	8

CENTER BOLTS



THREAD	LENGTH UNDER HEAD	THREAD LENGTH	HEAD DIAMETER	HEAD LENGTH
3/8" - 24	8"	6"	9/16"	3/8"
7/16" - 20	8"	5-1/2"	5/8"	3/8"
7/16" - 20	12"	9-1/2"	5/8"	3/8"
1/2" - 20	6"	4"	5/8"	5/8"
1/2" - 20	8"	5-1/2"	5/8"	5/8"
1/2" - 20	8"	5-1/2"	3/4"	7/16"
1/2" - 20	8"	5-1/2"	3/4"	3/4"
1/2" - 20	10"	9-1/2"	5/8"	5/8"
1/2" - 20	12"	9-1/2"	5/8"	3/8"
1/2" - 20	12"	9-1/2"	3/4"	7/16"
1/2" - 20	12"	9-1/2"	3/4"	3/4"
5/8" - 18	10"	9-1/2"	7/8"	1/2"



Contact Information

Contact : Prakash Rathod

Office : +9122 28895217

Cell : +919820643723
: +919920118202

E-mail : info@ganeshprecision.com

Address : Ganesh Precision Industries, B-118,
Rajratna Industrial Estate, B. J. Patel
Road, Near American Spring Co.,
Malad (W), Mumbai 400064,
Maharashtra, India

GANESH
PRECISION INDUSTRIES